

DRAWING APPROVAL

PLEASE CHECK THE APPROPRIATE BOXES
SIGN AND PRINT NAME

FINISHES

CRITICAL DIMENSIONS (Red)

HEIGHT

WIDTH

SIGNED BY

PRINT NAME

DATE






PRODUCT	500 Series
TYPE	503
TRACK TYPE	SS1
TRACK FINISH	Powdercoat (TBC)
CONFIGURATION	Continuously Hinged Panels
CLOSURE	Lead Panel Pass Door
STC	47
WEIGHT	47STC=43kg/m²

Please Note:-


- Track Support beam must be level and straight
- All openings must be Plumb.**
- Floor must be made level to +/- 5mm.**

All this allows for maximum acoustic effect and operability.

If any problem occurs in any of these areas, the operation of the door will be compromised



Horizontal Sectional Details



For Reference Only

COPYRIGHT TRANS-SPACE Ltd. THESE DRAWINGS AND PRODUCTS MADE THEREFROM ARE SUBJECT TO COPYRIGHT UNDER THE NEW ZEALAND COPYRIGHT ACT 1994 AND NEITHER THE DRAWING OR PRODUCTS MADE THEREFROM MAY BE REPRODUCED IN ANY MATERIAL FORM OR MODIFIED IN ANYWAY WITHOUT THE WRITTEN APPROVAL OF TRANS-SPACE Ltd.			
Rev	Date	Change	Name

TRACK TYPE
FINISH

GENERAL TOLERANCES UNLESS OTHERWISE SPECIFIED
0 = +/- 0.5 0.0 = +/- 0.1 0.00 = +/- 0.05
UNLESS OTHERWISE SPECIFIED
MACHINED SURFACE FINISH UNLESS OTHERWISE SPECIFIED

THIRD ANGLE PROJECTION
DIMENSIONS IN MILLIMETRES
CONTRACTOR

DESIGNER	REV 1
DRAWN Gary	A3
CHECKED Woody	SHEET 1
DATE 16-Apr-24	SCALE NTS

TRANS-SPACE		MANAGING SPACE WITH OPERABLE WALLS AND DOORS
PROJECT DESCRIPTION		
CONFIGURATION 201		JOB NUMBER